



RENSSI® TOOLS

PRODUCT CATALOGUE 2026



STRONG DRAIN CLEANING TOOLS
SINCE 2008

PRODUCTS

CHAIN KNOCKER COLLECTION

- 4 CHAIN KNOCKERS
- 5 DRILL HEAD TOOLS
- 6 CHAIN KNOCKERS WITH STARBITS
- 7 CHAIN KNOCKERS WITH DRILL HEAD AND STARBITS
- 8 TOOLS WITHOUT CARBIDE
- 9 T-SLIDE CHAIN KNOCKERS
- 10 THREADED CHAIN KNOCKERS
 - CHAIN KNOCKERS WITH STARBITS AND 5mm CHAIN
 - CHAIN KNOCKERS WITH STARBITS AND DR40 HEAD
- 11 CIRCULAR CHAIN KNOCKERS
- 12 CIRCULAR CHAIN KNOCKERS WITHOUT CARBIDE
- CIRCULAR CHAIN KNOCKERS WITH THREAD
- 13 CIRCULAR CHAIN KNOCKERS WITH T-SLIDE CONNECTOR
- CIRCULAR CHAIN KNOCKERS WITH KEYWAY SHAFT

SILICON BLADDERS

- 15 SILICON BLADDERS
- 17 CONNECTION LINERS
- 19 PACKERS AND ACCESSORIES

MACHINES AND EQUIPMENT

- 22 RENSSI MILLING MACHINES
- 25 INVERSION DRUMS
- 26 DRUM HEADS
- 27 ROLLER
- VACUUM PUMP
- 28 STEAM GENERATORS

CABLES

- 30 ERC CABLES
- 31 TC CABLES
- 32 TS CABLES
- 36 COVERS AND ROTATING CABLES
- 38 ADJUSTABLE CLUTCH

ADAPTERS AND SLEEVES

- 40 CABLE CONNECTORS
- 42 ADAPTERS

BRUSHES

- 44 NYLON BRUSHES
- NYLON/STEEL BRUSHES
- 45 SILICON CARBIDE BRUSHES
- SECURING RINGS, BRUSH ADAPTERS

CUTTERS

- 47 HOLE SAWS WITH T-SLIDE CONNECTOR
- COLLAPSED LINE DRILL
- 48 REINSTATEMENT CUTTERS
- DRILL HEADS

SANDPAPER HOLDERS

- 50 SANDPAPER HOLDERS WITH WEDGE
- 52 SANDPAPER HOLDER WITHOUT WEDGE
- 53 RENSSI SANDPAPER AND CUTTER KITS
- 54 RENSSI KNOCKER KITS

CONTACT

- 55 DEMO ARENA
- 56 CONTACT INFORMATION
- 57 NOTES

**CHECK OUT RENSSI®
SAFETY MANUALS BEFORE
USING THE TOOLS**
www.renssi.fi/downloads

US PATENT
RenSSI® Chain Knockers
have received
US Patent No. 9,649,671 B2

MADE IN FINLAND
RenSSI® Tools are manufactured
in Finland and
from quality materials.

CHAIN KNOCKERS



Depending on the size of the tool, it has one to three chains with solid carbide inserts brazed on the chain links. Because of the inserts, the pipe is cleaned out of rust and dirt very effectively.

There are two different types of connections to the rotating wire. The wire can be put through the tool and tightened using allen screws or it can be connected using T-slide connectors.

CHAIN KNOCKERS

Chain Knocker is a mechanically rotated tool for sewer cleaning and pipeline renovations. NOT TO BE USED WITH HYDRAULIC ROTATOR.

US PATENT

Renssi® Chain Knockers have received US Patent No. 9,649,671 B2



RS 0000 SERIES

for 6mm, 1/4" cable

	Product code	Pipe diameter	
☐	RS-0035/1	35mm	1,5"
☐	RS-0035/2	35mm	1,5"
☐	RS-0050/1	50mm	2"
☐	RS-0050/2	50mm	2"
☐	RS-0050	50mm	2"
☐	RS-0075/2	75mm	3"
☐	RS-0075	75mm	3"
☐	RS-0100	100mm	4"

RS 1000 SERIES

for 8mm, 5/16" cable

RS 2000 SERIES

for 10mm, 3/8" cable

RS 3000 SERIES

for 12mm, 1/2" cable

	Product code	Pipe diameter	
☐	RS-1035/1	35mm	1,5"
☐	RS-1035/2	35mm	1,5"
☐	RS-1050/1	50mm	2"
☐	RS-1050/2	50mm	2"
☐	RS-1050	50mm	2"
☐	RS-1075/1	75mm	3"
☐	RS-1075/2	75mm	3"
☐	RS-1075	75mm	3"
☐	RS-1100	100mm	4"
☐	RS-1125	125mm	5"
☐	RS-1150	150mm	6"
☐	RS-1200	200mm	8"

	Product code	Pipe diameter	
☐	RS-2050/2	50mm	2"
☐	RS-2050	50mm	2"
☐	RS-2075/1	75mm	3"
☐	RS-2075/2	75mm	3"
☐	RS-2075	75mm	3"
☐	RS-2100/1	100mm	4"
☐	RS-2100/2	100mm	4"
☐	RS-2100	100mm	4"
☐	RS-2125/2	125mm	5"
☐	RS-2125	125mm	5"
☐	RS-2150	150mm	6"
☐	RS-2200	200mm	8"

	Product code	Pipe diameter	
☐	RS-3050/2	50mm	2"
☐	RS-3050	50mm	2"
☐	RS-3075	75mm	3"
☐	RS-3100	100mm	4"
☐	RS-3125	125mm	5"
☐	RS-3150	150mm	6"
☐	RS-3200	200mm	8"
☐	RS-3250	250mm	10"
☐	RS-3300	300mm	12"

DRILL HEAD TOOLS

US PATENT

Renssi® Chain Knockers have received US Patent No. 9,649,671 B2



RS-DR 0000 SERIES

for 6 mm, 1/4" cable

Product code	Pipe diameter	
☐ RS-0035/1-DR	35mm	1,5"
☐ RS-0035/2-DR	35mm	1,5"

RS-DR 1000 SERIES

for 8mm, 5/16" cable

RS-DR 2000 SERIES

for 10mm, 3/8" cable

RS-DR 3000 SERIES

for 12mm, 1/2" cable

Product code	Pipe diameter	
☐ RS-1050/2-DR	50mm	2"
☐ RS-1050-DR	50mm	2"
☐ RS-1075/2-DR	75mm	3"
☐ RS-1075-DR	75mm	3"
☐ RS-1100-DR	100mm	4"
☐ RS-1125-DR	125mm	5"
☐ RS-1150-DR	150mm	6"
☐ RS-1200-DR	200mm	8"

Product code	Pipe diameter	
☐ RS-2050/2-DR	50mm	2"
☐ RS-2050-DR	50mm	2"
☐ RS-2075/2-DR	75mm	3"
☐ RS-2075-DR	75mm	3"
☐ RS-2100-DR	100mm	4"
☐ RS-2125-DR	125mm	5"
☐ RS-2150-DR	150mm	6"
☐ RS-2200-DR	200mm	8"

Product code	Pipe diameter	
☐ RS-3050/2-DR	50mm	2"
☐ RS-3050-DR	50mm	2"
☐ RS-3075/2-DR	75mm	3"
☐ RS-3075-DR	75mm	3"
☐ RS-3100-DR	100mm	4"
☐ RS-3125-DR	125mm	5"
☐ RS-3150-DR	150mm	6"
☐ RS-3200-DR	200mm	8"

CHAIN KNOCKERS WITH STARBITS

US PATENT

Renssi® Chain Knockers have received US Patent No. 9,649,671 B2



RS-WS 0000 SERIES

for 6mm, 1/4" cable

	Product code	Pipe diameter
☐	RS-0035/1-WS	35mm 1,5"
☐	RS-0050/1-WS	50mm 2"
☐	RS-0050-WS	50mm 2"
☐	RS-0075-WS	75mm 3"

RS-WS 1000 SERIES

for 8mm, 5/16" cable

RS-WS 2000 SERIES

for 10mm, 3/8" cable

RS-WS 3000 SERIES

for 12mm, 1/2" cable

	Product code	Pipe diameter
☐	RS-1050/1-WS	50mm 2"
☐	RS-1050/2-WS	50mm 2"
☐	RS-1050-WS	50mm 2"
☐	RS-1075-WS	75mm 3"
☐	RS-1100-WS	100mm 4"
☐	RS-1150-WS	150mm 6"

	Product code	Pipe diameter
☐	RS-2050/2-WS	50mm 2"
☐	RS-2050-WS	50mm 2"
☐	RS-2075-WS	75mm 3"
☐	RS-2100-WS	100mm 4"
☐	RS-2150-WS	150mm 6"
☐	RS-2200-WS	200mm 8"

	Product code	Pipe diameter
☐	RS-3050-WS	50mm 2"
☐	RS-3075-WS	75mm 3"
☐	RS-3100-WS	100mm 4"
☐	RS-3150-WS	150mm 6"
☐	RS-3200-WS	200mm 8"

CHAIN KNOCKERS WITH DRILL HEAD AND STARBITS

US PATENT

Renssi® Chain Knockers have received US Patent No. 9,649,671 B2



RS-WS-DR 1000 SERIES

for 8mm, 5/16" cable

RS-WS-DR 2000 SERIES

for 10mm, 3/8" cable

RS-WS-DR 3000 SERIES

for 12mm, 1/2" cable

Product code	Pipe diameter	Product code	Pipe diameter	Product code	Pipe diameter
☐ RS-1050-WS-DR	50mm 2"	☐ RS-2050-WS-DR	50mm 2"	☐ RS-3075-WS-DR	75mm 3"
☐ RS-1075-WS-DR	75mm 3"	☐ RS-2075-WS-DR	75mm 3"	☐ RS-3100-WS-DR	100mm 4"
☐ RS-1100-WS-DR	100mm 4"	☐ RS-2100-WS-DR	100mm 4"	☐ RS-3150-WS-DR	150mm 6"
☐ RS-1150-WS-DR	150mm 6"	☐ RS-2150-WS-DR	150mm 6"	☐ RS-3200-WS-DR	200mm 8"

CHAIN TOOLS WITHOUT CARBIDE

US PATENT

Renssi® Chain Knockers have received US Patent No. 9,649,671 B2



RS-NC 0000 SERIES

for 6mm, 1/4" cable

	Product code	Pipe diameter
☐	RS-0035/1-NC	35mm 1 3/8"
☐	RS-0035/2-NC	35mm 1 3/8"
☐	RS-0050/1-NC	50mm 2"
☐	RS-0050/2-NC	50mm 2"
☐	RS-0050-NC	50mm 2"
☐	RS-0075/2-NC	75mm 3"
☐	RS-0075-NC	75mm 3"
☐	RS-0100-NC	100mm 4"
☐	RS-0125-NC	125mm 5"

RS-NC 1000 SERIES

for 8mm, 5/16" cable

RS-NC 2000 SERIES

for 10mm, 3/8" cable

RS-NC 3000 SERIES

for 12mm, 1/2" cable

	Product code	Pipe diameter
☐	RS-1035/1-NC	35mm 1 3/8"
☐	RS-1035/2-NC	35mm 1 3/8"
☐	RS-1050/2-NC	50mm 2"
☐	RS-1050-NC	50mm 2"
☐	RS-1075/2-NC	75mm 3"
☐	RS-1075-NC	75mm 3"
☐	RS-1100-NC	100mm 4"
☐	RS-1125-NC	125mm 5"
☐	RS-1150-NC	150mm 6"
☐	RS-1200-NC	200mm 8"

	Product code	Pipe diameter
☐	RS-2050/2-NC	50mm 2"
☐	RS-2050-NC	50mm 2"
☐	RS-2075/2-NC	75mm 3"
☐	RS-2075-NC	75mm 3"
☐	RS-2100-NC	100mm 4"
☐	RS-2125-NC	125mm 5"
☐	RS-2150-NC	150mm 6"
☐	RS-2200-NC	200mm 8"

	Product code	Pipe diameter
☐	RS-3050/2-NC	50mm 2"
☐	RS-3050-NC	50mm 2"
☐	RS-3075/2-NC	75mm 3"
☐	RS-3075-NC	75mm 3"
☐	RS-3100-NC	100mm 4"
☐	RS-3125-NC	125mm 5"
☐	RS-3150-NC	150mm 6"
☐	RS-3200-NC	200mm 8"

T-SLIDE CHAIN KNOCKERS

RS-T 16 SERIES

T-slide connectors

Product code	Pipe diameter
☐ RS-T-16-50	50mm 2"
☐ RS-T-16-75	75mm 3"
☐ RS-T-16-100	100mm 4"
☐ RS-T-16-125	125mm 5"
☐ RS-T-16-150	150mm 6"
☐ RS-T-16-200	200mm 8"

☐	RS-T-16-50	50mm 2"
☐	RS-T-16-75	75mm 3"
☐	RS-T-16-100	100mm 4"
☐	RS-T-16-125	125mm 5"
☐	RS-T-16-150	150mm 6"
☐	RS-T-16-200	200mm 8"

RS-T 20 SERIES

T-slide connectors

Product code	Pipe diameter
☐ RS-T-20-50	50mm 2"
☐ RS-T-20-75	75mm 3"
☐ RS-T-20-100	100mm 4"
☐ RS-T-20-125	125mm 5"
☐ RS-T-20-150	150mm 6"
☐ RS-T-20-200	200mm 8"

☐	RS-T-20-50	50mm 2"
☐	RS-T-20-75	75mm 3"
☐	RS-T-20-100	100mm 4"
☐	RS-T-20-125	125mm 5"
☐	RS-T-20-150	150mm 6"
☐	RS-T-20-200	200mm 8"

RS-T-WS SERIES

T-slide connectors

Product code	Pipe diameter
☐ RS-T-16-50-WS	50mm 2"
☐ RS-T-16-75/2-WS	75mm 3"
☐ RS-T-16-75-WS	75mm 3"
☐ RS-T-16-100-WS	100mm 4"
☐ RS-T-16-125-WS	125mm 5"
☐ RS-T-16-150-WS	150mm 6"
☐ RS-T-16-200-WS	200mm 8"

☐	RS-T-16-50-WS	50mm 2"
☐	RS-T-16-75/2-WS	75mm 3"
☐	RS-T-16-75-WS	75mm 3"
☐	RS-T-16-100-WS	100mm 4"
☐	RS-T-16-125-WS	125mm 5"
☐	RS-T-16-150-WS	150mm 6"
☐	RS-T-16-200-WS	200mm 8"

RS-T-WS-DR SERIES

T-slide connectors, drill head

Product code	Pipe diameter
☐ RS-T-16-75-WS-DR	75mm 3"
☐ RS-T-16-100-WS-DR	100mm 4"
☐ RS-T-16-150-WS-DR	150mm 6"

☐	RS-T-16-75-WS-DR	75mm 3"
☐	RS-T-16-100-WS-DR	100mm 4"
☐	RS-T-16-150-WS-DR	150mm 6"

THREADED CHAIN KNOCKERS

WS-I SERIES

½" W thread



	Product code	Pipe diameter
☐	WS-I-75-4	75mm 3"
☐	WS-I-100-4	100mm 4"
☐	WS-I-150-4	150mm 6"
☐	WS-I-200-4	200mm 8"
☐	WS-I-250-4	250mm 10"

CHAIN KNOCKERS WITH STARBITS AND 5mm CHAIN

WS 2000 SERIES

for 10mm, ⅜" cable



	Product code	Pipe diameter
☐	WS-2075-5	75mm 3"
☐	WS-2100-5	100mm 4"
☐	WS-2150-5	150mm 6"
☐	WS-2200-5	200mm 8"

WS 3000 SERIES

for 12mm, ½" cable

	Product code	Pipe diameter
☐	WS-3075-5	75mm 3"
☐	WS-3100-5	100mm 4"
☐	WS-3150-5	150mm 6"
☐	WS-3200-5	200mm 8"
☐	WS-3250-5	250mm 10"

CHAIN KNOCKERS WITH STARBITS AND DR40 HEAD

WS-DR40 2000 SERIES

for 10mm, ⅜" cable



	Product code	Pipe diameter
☐	WS-2100-3-DR40	100mm 4"
☐	WS-2150-3-DR40	150mm 6"
☐	WS-2200-3-DR40	200mm 8"

WS-DR40 3000 SERIES

for 12mm, ½" cable

	Product code	Pipe diameter
☐	WS-3100-3-DR40	100mm 4"
☐	WS-3150-3-DR40	150mm 6"
☐	WS-3200-3-DR40	200mm 8"

CIRCULAR CHAIN KNOCKERS

WC Circular Chain Knockers come with Securing ring.

IMPROVED MODELS



WC 1000 SERIES

for 8mm, $\frac{5}{16}$ " cable
with 4mm, $\frac{1}{8}$ " chain

WC 2000 SERIES

for 10mm, $\frac{3}{8}$ " cable
with 4mm, $\frac{1}{8}$ " chain

WC 3000 SERIES

for 12mm, $\frac{1}{2}$ " cable
with 4mm, $\frac{1}{8}$ " chain

	Product code	Pipe diameter
☐	WC-1050-4	50mm 2"
☐	WC-1075-4	75mm 3"
☐	WC-1100-4	100mm 4"
☐	WC-1150-4	150mm 6"

	Product code	Pipe diameter
☐	WC-2050-4	50mm 2"
☐	WC-2075-4	75mm 3"
☐	WC-2100-4	100mm 4"
☐	WC-2150-4	150mm 6"
☐	WC-2200-4	200mm 8"
☐	WC-2250-4	250mm 10"
☐	WC-2300-4	300mm 12"

	Product code	Pipe diameter
☐	WC-3075-4	75mm 3"
☐	WC-3100-4	100mm 4"
☐	WC-3150-4	150mm 6"
☐	WC-3200-4	200mm 8"
☐	WC-3250-4	250mm 10"
☐	WC-3300-4	300mm 12"

WC 3000-5 SERIES

for 12mm, $\frac{1}{2}$ " cable
with 5mm, $\frac{3}{16}$ " chain

	Product code	Pipe diameter
☐	WC-3100-5	100mm 4"
☐	WC-3150-5	150mm 6"
☐	WC-3200-5	200mm 8"
☐	WC-3250-5	250mm 10"



CIRCULAR CHAIN KNOCKERS WITHOUT CARBIDE




WC 1000 SERIES

for 8mm, $\frac{5}{16}$ " cable
with 4mm, $\frac{1}{8}$ " chain



WC 2000 SERIES

for 10mm, $\frac{3}{8}$ " cable
with 4mm, $\frac{1}{8}$ " chain



WC 3000 SERIES

for 12mm, $\frac{1}{2}$ " cable
with 4mm, $\frac{1}{8}$ " chain

	Product code	Pipe diameter
☐	WC-1050-NC	50mm 2"
☐	WC-1075-NC	75mm 3"
☐	WC-1100-NC	100mm 4"

	Product code	Pipe diameter
☐	WC-2050-NC	50mm 2"
☐	WC-2075-NC	75mm 3"
☐	WC-2100-NC	100mm 4"
☐	WC-2150-NC	150mm 6"
☐	WC-2200-NC	200mm 8"
☐	WC-2250-NC	250mm 10"
☐	WC-2300-NC	300mm 12"

	Product code	Pipe diameter
☐	WC-3075-NC	75mm 3"
☐	WC-3100-NC	100mm 4"
☐	WC-3150-NC	150mm 6"
☐	WC-3200-NC	200mm 8"
☐	WC-3250-NC	250mm 10"
☐	WC-3300-NC	300mm 12"

CIRCULAR CHAIN KNOCKERS WITH THREAD

WC-I SERIES

$\frac{1}{2}$ " W thread

	Product code	Pipe diameter
☐	WC-I-75-4	75mm 3"
☐	WC-I-100-4	100mm 4"
☐	WC-I-125-4	125mm 5"
☐	WC-I-150-4	150mm 6"
☐	WC-I-200-4	200mm 8"
☐	WC-I-250-4	250mm 10"



CIRCULAR CHAIN KNOCKERS WITH T-SLIDE CONNECTORS



WC-T 16 SERIES

T-slide connector
with 4mm, 1/8" chain

WC-T 20 SERIES

T-slide connector
with 4mm, 1/8" chain

WC-T 22 SERIES

T-slide connector
with 4mm, 1/8" chain

Product code	Pipe diameter	Product code	Pipe diameter	Product code	Pipe diameter
☐ WC-T-16-75-4	75mm 3"	☐ WC-T-20-75-4	75mm 3"	☐ WC-T-22-100-4	100mm 4"
☐ WC-T-16-100-4	100mm 4"	☐ WC-T-20-100-4	100mm 4"	☐ WC-T-22-150-4	150mm 6"
☐ WC-T-16-110-4	110mm 4,3"	☐ WC-T-20-125-4	125mm 5"	☐ WC-T-22-200-4	200mm 8"
☐ WC-T-16-125-4	125mm 5"	☐ WC-T-20-150-4	150mm 6"	☐ WC-T-22-250-4	250mm 10"
☐ WC-T-16-150-4	150mm 6"				

CIRCULAR CHAIN KNOCKERS, KEYWAY SHAFT

WC-W SERIES

for 16mm keyway shaft with 4mm, 1/8" chain

Product code	Pipe diameter
☐ WC-W-100-4	100mm 4"
☐ WC-W-125-4	125mm 5"
☐ WC-W-150-4	150mm 6"
☐ WC-W-225-4	225mm 9"
☐ WC-W-300-4	300mm 12"



SILICON BLADDERS

SB main length is 1000mm, 40" and lateral length is 400mm, 16"

SBAU main length is 1350mm, 53" and lateral length is 500mm, 20"

CONNECTION LINERS

CL main length is 400mm, 16" and lateral length is 280mm, 11"

CLAU main length is 950mm, 37,5" and lateral length is 400mm, 16"

PACKERS

SILICON BLADDERS

MAIN/BRANCH-ANGLE

SILICON BLADDERS WITH 90° ANGLE

Product code	Product size
☐ SB70/50-90	70/50-90
☐ SB70/70-90	70/70-90
☐ SB100/50-90	100/50-90
☐ SB100/70-90	100/70-90
☐ SB100/100-90	100/100-90
☐ SB125/50-90	125/50-90
☐ SB125/70-90	125/70-90
☐ SB125/100-90	125/100-90
☐ SB125/125-90	125/125-90
☐ SB150/50-90	150/50-90
☐ SB150/70-90	150/70-90
☐ SB150/100-90	150/100-90
☐ SB150/125-90	150/125-90
☐ SB150/150-90	150/150-90
☐ SB200/50-90	200/50-90
☐ SB200/70-90	200/70-90
☐ SB200/100-90	200/100-90
☐ SB200/125-90	200/125-90
☐ SB200/150-90	200/150-90
☐ SB200/200-90	200/200-90
☐ SB225/100-90	225/100-90
☐ SB250/100-90	250/100-90
☐ SB250/150-90	250/150-90

SILICON BLADDERS WITH 45° ANGLE

Product code	Product size
☐ SB70/50-45	70/50-45
☐ SB70/70-45	70/70-45
☐ SB100/50-45	100/50-45
☐ SB100/70-45	100/70-45
☐ SB100/100-45	100/100-45
☐ SB125/50-45	125/50-45
☐ SB125/70-45	125/70-45
☐ SB125/100-45	125/100-45
☐ SB125/125-45	125/125-45
☐ SB150/50-45	150/50-45
☐ SB150/70-45	150/70-45
☐ SB150/100-45	150/100-45
☐ SB150/125-45	150/125-45
☐ SB150/150-45	150/150-45
☐ SB200/50-45	200/50-45
☐ SB200/70-45	200/70-45
☐ SB200/100-45	200/100-45
☐ SB200/125-45	200/125-45
☐ SB200/150-45	200/150-45
☐ SB200/200-45	200/200-45
☐ SB225/100-45	225/100-45
☐ SB225/125-45	225/125-45
☐ SB250/100-45	250/100-45
☐ SB250/150-45	250/150-45



SILICON BLADDERS WITH 90° ANGLE, LONG

	Product code	Product size	Main length	/	Lateral length
☐	SBAU100/100-90	100/100-90	1350mm	53"	/ 500mm 20"
☐	SBAU150/100-90	150/100-90	1350mm	53"	/ 500mm 20"
☐	SBAU150/150-90	150/150-90	1350mm	53"	/ 500mm 20"
☐	SBAU225/100-90	225/100-90	1350mm	53"	/ 500mm 20"
☐	SBAU225/150-90	225/150-90	1350mm	53"	/ 500mm 20"
☐	SBAU375/100-90	375/100-90	1350mm	53"	/ 500mm 20"

SILICON BLADDERS WITH 45° ANGLE, LONG

	Product code	Product size	Main length	/	Lateral length
☐	SBAU100/100-45	100/100-45	1350mm	53"	/ 500mm 20"
☐	SBAU150/100-45	150/100-45	1350mm	53"	/ 500mm 20"
☐	SBAU150/150-45	150/150-45	1350mm	53"	/ 500mm 20"
☐	SBAU225/100-45	225/100-45	1350mm	53"	/ 500mm 20"
☐	SBAU225/150-45	225/150-45	1350mm	53"	/ 500mm 20"

CURVED SILICON BLADDERS

	Product code	Product size
☐	SBB100/70-45	100/70-45
☐	SBB100/70-90	100/70-90
☐	SBB100/100-45	100/100-45
☐	SBB100/100-90	100/100-90

T-BLADDERS

	Product code	Product size
☐	SB100/100-45-T	100/100-45
☐	SB100/100-90-T	100/100-90

TUBES

	Product code	Product size	Length
☐	SB50-M	50mm 2" silicon tube	2m 79"
☐	SB70-M	70mm 2 3/4" silicon tube	2m 79"
☐	SB100-M	100mm 4" silicon tube	2m 79"
☐	SB125-M	125mm 5" silicon tube	2m 79"
☐	SB150-M	150mm 6" silicon tube	2m 79"



CONNECTION LINERS

MAIN/BRANCH-ANGLE

CONNECTION LINERS WITH 90° ANGLE

Product code	Product size
☐ CL70/50-90	70/50-90
☐ CL70/70-90	70/70-90
☐ CL100/50-90	100/50-90
☐ CL100/70-90	100/70-90
☐ CL100/100-90	100/100-90
☐ CL125/70-90	125/70-90
☐ CL125/100-90	125/100-90
☐ CL125/125-90	125/125-90
☐ CL150/70-90	150/70-90
☐ CL150/100-90	150/100-90
☐ CL150/125-90	150/125-90
☐ CL150/150-90	150/150-90
☐ CL200/100-90	200/100-90
☐ CL200/150-90	200/150-90

CONNECTION LINERS WITH 45° ANGLE

Product code	Product size
☐ CL60/60-45	60/60-45
☐ CL70/50-45	70/50-45
☐ CL70/70-45	70/70-45
☐ CL100/50-45	100/50-45
☐ CL100/70-45	100/70-45
☐ CL100/100-45	100/100-45
☐ CL125/70-45	125/70-45
☐ CL125/100-45	125/100-45
☐ CL125/125-45	125/125-45
☐ CL150/70-45	150/70-45
☐ CL150/100-45	150/100-45
☐ CL150/125-45	150/125-45
☐ CL150/150-45	150/150-45
☐ CL200/100-45	200/100-45
☐ CL200/150-45	200/150-45
☐ CL225/150-45	225/150-45
☐ CL225/200-45	225/200-45



CURVED CONNECTION LINERS

Product code	Product size
☐ CLB100/70-45	100/70-45
☐ CLB100/70-90	100/70-90
☐ CLB100/100-45	100/100-45
☐ CLB100/100-90	100/100-90

CONNECTION LINERS WITH 45° ANGLE, LONG

Product code	Product size	Main length	Lateral length
☐ CLAU100/100-45	100/100-45	900mm 35"	400mm 16"
☐ CLAU150/100-45	150/100-45	900mm 35"	400mm 16"
☐ CLAU150/150-45	150/150-45	900mm 35"	400mm 16"
☐ CLAU225/100-45	225/100-45	900mm 35"	400mm 16"
☐ CLAU225/150-45	225/150-45	900mm 35"	400mm 16"
☐ CLAU300/100-45	300/100-45	900mm 35"	400mm 16"

CONNECTION LINERS WITH 90° ANGLE, LONG

Product code	Product size	Main length	Lateral length
☐ CLAU100/100-90	100/100-90	900mm 35"	400mm 16"
☐ CLAU150/100-90	150/100-90	900mm 35"	400mm 16"
☐ CLAU150/150-90	150/150-90	900mm 35"	400mm 16"
☐ CLAU225/100-90	225/100-90	900mm 35"	400mm 16"
☐ CLAU225/150-90	225/150-90	900mm 35"	400mm 16"
☐ CLAU300/100-90	300/100-90	900mm 35"	400mm 16"
☐ CLAU375/100-90	375/100-90	900mm 35"	400mm 16"



PACKERS AND ACCESSORIES

PACKER ASSEMBLIES WITH A SINGLE ROD

Product code	Head diameter	Length	Rod diameter
☐ PP-D30-720-08	Ø 30mm	720mm	8mm
☐ PP-D30-720-10	Ø 30mm	720mm	10mm
☐ PP-D30-1000-08	Ø 30mm	1000mm	8mm
☐ PP-D30-1350-10	Ø 30mm	1350mm	10mm
☐ PP-D30-S-720-08	Ø 30mm	720mm	8mm
☐ PP-D30-S-720-10	Ø 30mm	720mm	10mm
☐ PP-D40-720-08	Ø 40mm	720mm	8mm
☐ PP-D40-720-10	Ø 40mm	720mm	10mm
☐ PP-D40-1350-10	Ø 40mm	1350mm	10mm
☐ PP-D60-720-10	Ø 60mm	720mm	10mm
☐ PP-D60-1350-10	Ø 60mm	1350mm	10mm
☐ PP-D90-720-10	Ø 90mm	720mm	10mm

PACKER ASSEMBLIES WITH TWO RODS

Product code	Head diameter	Length
☐ PP2-D40-1500	Ø 40mm	1500mm
☐ PP2-D60-1500	Ø 60mm	1500mm



PACKER HEADS FOR A SINGLE ROD

Product code	Information
☐ PP-D30-AL-A	Ø 30mm, shackle M4, air pressure plug G¼
☐ PP-D30-S-AL-A	Ø 30mm, shackle M4, air pressure plug G¼, shorter version
☐ PP-D40-AL-A	Ø 40mm, shackle M5, air pressure plug G¼
☐ PP-D60-AL-A	Ø 60mm, shackle M6, air pressure plug G¼
☐ PP-D90-AL-A	Ø 90mm, shackle M6, air pressure plug G¼
☐ PP-D30-AL-B	Ø 30mm, blind plug G¼
☐ PP-D30-S-AL-B	Ø 30mm, blind plug G¼, shorter version
☐ PP-D40-AL-B	Ø 40mm, blind plug G¼
☐ PP-D60-AL-B	Ø 60mm, blind plug G¼
☐ PP-D90-AL-B	Ø 90mm, blind plug G¼

PACKER HEADS FOR TWO RODS

Product code	Information
☐ PP2-D40-A	Ø 40mm, shackle M5, air pressure plug G¼
☐ PP2-D40-B	Ø 40mm, blind plug G¼
☐ PP2-D60-A	Ø 60mm, shackle M6, air pressure plug G¼
☐ PP2-D60-B	Ø 60mm, blind plug G¼



PACKER MIDDLE BARS

Product code	Information	
☐ PP-VT-500-8	length 500mm	Ø 8mm
☐ PP-VT-600-8	length 600mm	Ø 8mm
☐ PP-VT-720-8	length 720mm	Ø 8mm
☐ PP-VT-1350-8	length 1350mm	Ø 8mm
☐ PP-VT-340-10	length 340mm	Ø 10mm
☐ PP-VT-500-10	length 500mm	Ø 10mm
☐ PP-VT-720-10	length 720mm	Ø 10mm
☐ PP-VT-1350-10	length 1350mm	Ø 10mm
☐ PP2-VT-1500-8	length 1500mm	Ø 8mm

PRESSURE HOLDERS

Product code	Information
☐ SS-90-40	for 50mm liner
☐ SS-90-60	for 75mm liner
☐ SS-90-90	for 100mm liner
☐ SS-90-140	for 150mm liner

PUSH RODS

Product code	Information
☐ RA-010	10mm pom axle, length 1,5m
☐ RA-016	16mm pom axle, length 1,5m

ADAPTERS AND ACCESSORIES

Product code	Information
☐ APC-1/4	air connector
☐ APP-1/4	air pressure plug
☐ RA-16-002	packer key with 16mm male t-slide
☐ RA-20-002	packer key with 20mm male t-slide

RENSSI MILLING MACHINES



RENSSI MILLING MACHINES



CLEANING UNITS (230V)

Product code	Information
☐ RCM-8	cleaning unit with 15m of Ø 8mm (50' / 5/8") cable and drill
☐ RCM-10	cleaning unit with 10m of Ø 10mm (32' / 3/8") cable and drill
☐ RCM-10-PLUS	cleaning unit with 25m of Ø 10mm (82' / 3/8") cable and drill
☐ RCX-10	cleaning unit with 25m of Ø 10mm (82' / 3/8") cable and drill
☐ RCX-12	cleaning unit with 30m of Ø 12mm (100' / 1/2") cable and drill
☐ R-MILL-36	milling unit with 36m of Ø 12mm (118' / 1/2") cable


CLEANING UNITS (110V)

Product code	Information
☐ RCM-8-X	cleaning unit with 15m of Ø 8mm cable (50' / 5/16"), USA, without drill
☐ RCM-10-X	cleaning unit with 10m of Ø 10mm cable (32' / 3/8"), USA, without drill
☐ RCM-10-110-UK	cleaning unit with 15m of Ø 12mm cable (50' / 1/2"), UK, without drill
☐ RCM-10-X-PLUS	cleaning unit with 25m of Ø 10mm cable (82' / 3/8"), without drill
☐ RCX-10-110	cleaning unit with 25m of Ø 10mm (82' / 3/8"), without drill
☐ RCX-12-110	cleaning unit with 30m of Ø 12mm (100' / 1/2"), without drill
☐ R-MILL-36-US	milling unit with 36m of Ø 12mm cable (118' / 1/2")



CLEANING UNIT SPARE PARTS

Product code	Information	
☐ RCM-1015	RCM-8 spare cable	Ø 8mm cable, 15m (50' / 5/16")
☐ RCM-2010	RCM-10 spare cable	Ø 10mm cable, 10m (32' / 3/8")
☐ RCM-2014	RCM-10 spare cable	Ø 10mm cable, 14m (45' / 3/8")
☐ RCM-2036	R-MILL-36 spare cable	Ø 10mm cable, 36m (118' / 3/8")
☐ RCM-3036	R-MILL-36 spare cable	Ø 12mm cable, 36m (118' / 1/2")
☐ RCM-2025-PLUS	RCM-10-PLUS spare cable	Ø 10mm cable, 25m (82' / 3/8")
☐ RCX-2025	RCX-10 spare cable	Ø 10mm cable, 25m (82' / 3/8")
☐ RCX-3030	RCX-12 spare cable	Ø 12mm cable, 30m (100' / 1/2")



**INVERSION
DRUMS**

A person's hands are shown operating a large, complex industrial machine. The machine features a prominent hand crank and various pipes and valves. The background is dark and industrial.

ROLLER

**VACUUM
PUMP**



**STEAM
GENERATOR**

A person's hands are shown working on a circular component, possibly a steam generator. A pressure gauge is visible on the component. The background is dark and industrial.

INVERSION DRUMS



INVERSION DRUMS

Product code	Information
☐ RID-300	Capacity of liner: 100mm/8m (4"/26')
☐ RID-400-S	Capacity of liner: 100mm/25m, liner 150mm/10m (4"/82', 6"/32')
☐ RID-600-S	Capacity of liner: 100mm/45m, liner 150mm/20m (4"/148', 6"/65')
☐ RID-800-S	Capacity of liner: 100mm/100m, liner 150mm/50m (4"/330', 6"/165')
☐ RID-800-XL	Capacity of liner: 250mm/30m (10"/100')

Tested with dry 18% 2D liner without a calibration hose.

DRUM HEADS

Drum Head is an accessory for the inversion drum. It ables a versatile use of drums in relining. Custom drum heads can be manufactured to customer's needs with a minimum order of 15pcs.

INVERSION DRUM ACCESSORIES

DRUM HEADS

Storz adapter included

Product code	Information
☐ DH-4S-30	for Ø 30mm 1,5" liner
☐ DH-4S-50	for Ø 50mm 2" liner
☐ DH-4S-70	for Ø 70mm 3" liner
☐ DH-4S-100	for Ø 100mm 4" liner

DRUM HEADS

Storz adapters

Product code	Information
☐ DH-4S	4" Storz adapter / thread
☐ DH-6S	6" Storz adapter / thread
☐ DH-8S	8" Storz adapter / thread
☐ DH-8S-6S	Storz conversion piece

DRUM HEADS

Storz adapter included

Product code	Information
☐ DH-6S-30	for Ø 30mm 1,5" liner*
☐ DH-6S-50	for Ø 50mm 2" liner
☐ DH-6S-70	for Ø 70mm 3" liner
☐ DH-6S-100	for Ø 100mm 4" liner
☐ DH-6S-150	for Ø 150mm 6" liner
☐ DH-8S-200	for Ø 200mm 8" liner

DRUM HEADS

Accessories

Product code	Information
☐ DH-6S-GSK	Storz gaskets
☐ DH-8S-KEY	Storz key
☐ DH-KEY	Storz key

DRUM HEADS

with 6" thread attachment and cam lock

Product code	Information
☐ DH-6S-CL-70	for Ø 70mm 3" liner
☐ DH-6S-CL-100	for Ø 100mm 4" liner
☐ DH-6S-CL-150	for Ø 150mm 6" liner

* This product is not available in our stock. We will start production after receiving the order.



ROLLER

Epoxy spreads smoothly in the liner with Renssi® Roller. Smoothly spread epoxy on the surfaces of the liner enables successful relining, which repairs pipe's surface damages and protects the pipe from being damaged for a long time. If you need a metric steel measure, you can order it separately.

ROLLER

Product code	Information
☐ RP-325	Roller

weight	17,5kg
outer dimensions	W 600mm, L 370mm, H 440mm (23,5"/14,5"/17,5")
roller diameter	115mm (4,5")
roller width	325mm (12,8")
material	aluminium, rubber
locking mechanism	manual lever and finger nuts for backup to prevent unexpected opening
measuring	with gauge plates provided with the press
maximum liner size	200mm (8")



VACUUM PUMP

The Renssi Vacuum Controller converts your compressed air into a vacuum with just a single switch. The integrated pressure regulator allows you to control the air pressure while inflating your silicone bladders without using multiple accessories - all you need is the compressor.

VACUUM PUMP

Product code
☐ R-VAC-2

NOW WITH
PSI-GAUGE



STEAM GENERATORS

Steam generators are the optimal equipment to install connection liners, reline the drains and cure the base liners. All the models use electricity and are capable to heat up to 9 liters of water for high-performance steam.

STEAM GENERATORS

Product code	Information
☐ STEAM-G-16-1,6KW	1,6kw steam unit for connection liners
☐ STEAM-G-32-3,2KW	3,2kw steam unit for short liners and connection liners
☐ STEAM-G-96-9,6KW	9,6kw steam unit for longer and larger liners



STEAM-G-16-1,6kW



STEAM-G-32-3,2kW




STEAM-G-96-9,6kW

weight	13,5kg 30lb	15kg 33lb	43kg 95lb
size	width 420mm 16,5"	width 540mm 21"	width 430mm 17"
	length 250mm 10"	length 340mm 13,4"	length 360mm 14"
	height 290mm 11"	height 260mm 10"	height 970mm 38"
operating voltages	230V	230V	400 3+N
heater output	1,6kW	3,2kW (1,6 + 1,6) kW	9,6kW
water capacity	4L	9L	7L or continuous water distribution
steam output	2,5kg/h 5lb/h	5kg/h 11lb/h	15kg/h 33lb/h
max. pressure	3bar	3bar	6bar
pump power	-	-	0,5kW

CABLES

Renssi® offers two types of cables; Cross Layer and Spring Layer cable. You have an option to choose Renssi® ready-to-use TC- and TS-cables, which includes a cover, cable and T-slide adapters and/or sleeves, or you can also order cables and covers separately.

You can also choose easy-to-use cable ERC, which contains sleeves, rotator shaft and covered cable. All you need to know is the length and diameter of the cable and you are ready to choose the cable of your needs. For customer's request we can mix' n' match different T-slides and sleeves.



ERC CABLES

We sell easy-to-use cables, cables and covers separately for customer's needs.
ERC-cable includes a cover, a cable, brass sleeves on both ends and a rotator shaft.
We use Cross Layer Cable in ERC-cables.



ERC 0000 SERIES

6mm 1/4" cable

Product code	Length
☐ ERC-0008-1	8m 26'
☐ ERC-0010-1	10m 33'
☐ ERC-0015-1	15m 50'

ERC 1000 SERIES

8mm 5/16" cable

Product code	Length
☐ ERC-1002-1	2m 6,6'
☐ ERC-1003-1	3m 10'
☐ ERC-1005-1	5m 16,5'
☐ ERC-1010-1	10m 33'
☐ ERC-1015-1	15m 50'
☐ ERC-1020-1	20m 65'

ERC 2000 SERIES

10mm 3/8" cable

Product code	Length
☐ ERC-2003-1	3m 10'
☐ ERC-2005-1	5m 16,5'
☐ ERC-2010-1	10m 33'
☐ ERC-2015-1	15m 50'
☐ ERC-2020-1	20m 65'
☐ ERC-2025-1	25m 82'
☐ ERC-2030-1	30m 100'

ERC 3000 SERIES

12mm 1/2" cable

Product code	Length
☐ ERC-3003-1	3m 10'
☐ ERC-3005-1	5m 16,5'
☐ ERC-3010-1	10m 33'
☐ ERC-3015-1	15m 50'
☐ ERC-3020-1	20m 65'
☐ ERC-3025-1	25m 82'
☐ ERC-3030-1	30m 100'

TC CABLES

TC-cables includes a cover, a cable, a ballbearing and T-slide adapters.
We use Cross Layer Cable in TC Cables.



TC 1000 SERIES

8mm 5/16" cable /
adapters 16mm

TC 2000 SERIES

10mm 3/8" cable /
adapters 20mm

TC 3000 SERIES

12mm 1/2" cable /
adapters 20mm

Product code	Length (m)
☐ TC-1001	1m 3,3'
☐ TC-1002	2m 6,6'
☐ TC-1003	3m 10'
☐ TC-1005	5m 16,5'
☐ TC-1006	6m 20'
☐ TC-1008	8m 26'
☐ TC-1010	10m 33'
☐ TC-1015	15m 50'
☐ TC-1020	20m 65'

Product code	Length (m)
☐ TC-2001	1m 3,3'
☐ TC-2002	2m 6,6'
☐ TC-2003	3m 10'
☐ TC-2005	5m 16,5'
☐ TC-2006	6m 20'
☐ TC-2008	8m 26'
☐ TC-2010	10m 33'
☐ TC-2015	15m 50'
☐ TC-2020	20m 65'

Product code	Length (m)
☐ TC-3001	1m 3,3'
☐ TC-3002	2m 6,6'
☐ TC-3003	3m 10'
☐ TC-3005	5m 16,5'
☐ TC-3006	6m 20'
☐ TC-3008	8m 26'
☐ TC-3010	10m 33'
☐ TC-3015	15m 50'
☐ TC-3020	20m 65'

TS CABLES

**Incl. a cable without steel sleeves
or adapters, and nylon cover**



TS 1000 SERIES

8mm $\frac{5}{16}$ " cable

Product code	Length
☐ TS-1001	1m 3,3'
☐ TS-1002	2m 6,6'
☐ TS-1003	3m 10'
☐ TS-1005	5m 16,5'
☐ TS-1006	6m 20'
☐ TS-1008	8m 26'
☐ TS-1010	10m 33'
☐ TS-1015	15m 50'
☐ TS-1020	20m 65'
☐ TS-1023	23m 75'
☐ TS-1030	30m 100'
☐ TS-1035	35m 115'
☐ TS-1040	40m 131'

TS 2000 SERIES

10mm $\frac{3}{8}$ " cable

Product code	Length
☐ TS-2001	1m 3,3'
☐ TS-2002	2m 6,6'
☐ TS-2003	3m 10'
☐ TS-2005	5m 16,5'
☐ TS-2006	6m 20'
☐ TS-2008	8m 26'
☐ TS-2010	10m 33'
☐ TS-2013	13m 43'
☐ TS-2015	15m 50'
☐ TS-2020	20m 65'
☐ TS-2023	23m 75'
☐ TS-2025	25m 82'
☐ TS-2030	30m 100'
☐ TS-2037	35m 115'
☐ TS-2040	40m 131'

TS 3000 SERIES

12mm $\frac{1}{2}$ " cable

Product code	Length
☐ TS-3001	1m 3,3'
☐ TS-3002	2m 6,6'
☐ TS-3003	3m 10'
☐ TS-3005	5m 16,5'
☐ TS-3006	6m 20'
☐ TS-3008	8m 26'
☐ TS-3010	10m 33'
☐ TS-3015	15m 50'
☐ TS-3020	20m 65'
☐ TS-3025	25m 82'
☐ TS-3030	30m 100'
☐ TS-3037	37m 121'
☐ TS-3049	49m 160'

TS-01 CABLES

**Incl. cable with rotator end crimped,
and nylon cover**



TS-01 0000 SERIES

6mm ¼" cable

Product code	Length
☐ TS-01-0003	3m 10'
☐ TS-01-0006	6m 20'
☐ TS-01-0015	15m 50'
☐ TS-01-0030	30m 100'

TS-01 1000 SERIES

8mm 5/16" cable

Product code	Length
☐ TS-01-1001	1m 3,3'
☐ TS-01-1002	2m 6,6'
☐ TS-01-1003	3m 10'
☐ TS-01-1005	5m 16,5'
☐ TS-01-1006	6m 20'
☐ TS-01-1008	8m 26'
☐ TS-01-1010	10m 33'
☐ TS-01-1015	15m 50'
☐ TS-01-1020	20m 65'
☐ TS-01-1023	23m 75'
☐ TS-01-1030	30m 100'
☐ TS-01-1035	35m 115'
☐ TS-01-1040	40m 131'

TS-01 2000 SERIES

10mm 3/8" cable

Product code	Length
☐ TS-01-2001	1m 3,3'
☐ TS-01-2002	2m 6,6'
☐ TS-01-2003	3m 10'
☐ TS-01-2005	5m 16,5'
☐ TS-01-2006	6m 20'
☐ TS-01-2008	8m 26'
☐ TS-01-2010	10m 33'
☐ TS-01-2015	15m 50'
☐ TS-01-2020	20m 65'
☐ TS-01-2023	23m 75'
☐ TS-01-2030	30m 100'
☐ TS-01-2037	37m 121'
☐ TS-01-2038	38m 125'
☐ TS-01-2040	40m 131'

TS-01 3000 SERIES

12mm ½" cable

Product code	Length
☐ TS-01-3001	1m 3,3'
☐ TS-01-3002	2m 6,6'
☐ TS-01-3003	3m 10'
☐ TS-01-3005	5m 16,5'
☐ TS-01-3006	6m 20'
☐ TS-01-3008	8m 26'
☐ TS-01-3010	10m 33'
☐ TS-01-3015	15m 50'
☐ TS-01-3017	20m 65'
☐ TS-01-3020	23m 75'
☐ TS-01-3030	30m 100'
☐ TS-01-3037	37m 121'

TS-10 CABLES

**Incl. cable with tool end crimped,
and nylon cover**



TS-10 1000 SERIES

8mm $\frac{5}{16}$ " cable

TS-10 2000 SERIES

10mm $\frac{3}{8}$ " cable

TS-10 3000 SERIES

12mm cable

	Product code	Length
☐	TS-10-1001	1m 3,3'
☐	TS-10-1002	2m 6,6'
☐	TS-10-1003	3m 10'
☐	TS-10-1005	5m 16,5'
☐	TS-10-1006	6m 20'
☐	TS-10-1008	8m 26'
☐	TS-10-1010	10m 33'
☐	TS-10-1015	15m 50'
☐	TS-10-1020	20m 65'
☐	TS-10-1023	23m 75'
☐	TS-10-1030	30m 100'
☐	TS-10-1035	35m 115'
☐	TS-10-1040	40m 131'

	Product code	Length
☐	TS-10-2001	1m 3,3'
☐	TS-10-2002	2m 6,6'
☐	TS-10-2003	3m 10'
☐	TS-10-2005	5m 16,5'
☐	TS-10-2006	6m 20'
☐	TS-10-2008	8m 26'
☐	TS-10-2010	10m 33'
☐	TS-10-2015	15m 50'
☐	TS-10-2020	20m 65'
☐	TS-10-2023	23m 75'
☐	TS-10-2030	30m 100'
☐	TS-10-2037	37m 121'
☐	TS-10-2038	38m 125'
☐	TS-10-2040	40m 131'

	Product code	Length
☐	TS-10-3001	1m 3,3'
☐	TS-10-3002	2m 6,6"
☐	TS-10-3003	3m 10'
☐	TS-10-3005	5m 16,5'
☐	TS-10-3006	6m 20'
☐	TS-10-3008	8m 26'
☐	TS-10-3010	10m 33'
☐	TS-10-3015	15m 50'
☐	TS-10-3020	20m 65'
☐	TS-10-3030	30m 100'
☐	TS-10-3037	37m 121'

TS-11 CABLES

**Incl. cable with both ends crimped,
and nylon cover**



TS-11 0000 SERIES

6mm cable

Product code	Length
☐ TS-11-0005	5m 16,5'
☐ TS-11-0015	15m 50'

TS-11 1000 SERIES

8mm 5/16" cable

TS-11 2000 SERIES

10mm 3/8" cable

TS-11 3000 SERIES

12mm 1/2" cable

Product code	Length
☐ TS-11-1001	1m 3,3'
☐ TS-11-1002	2m 6,6'
☐ TS-11-1003	3m 10'
☐ TS-11-1005	5m 16,5'
☐ TS-11-1006	6m 20'
☐ TS-11-1008	8m 26'
☐ TS-11-1010	10m 33'
☐ TS-11-1015	15m 50'
☐ TS-11-1020	20m 65'
☐ TS-11-1023	23m 75'
☐ TS-11-1030	30m 100'
☐ TS-11-1035	35m 115'
☐ TS-11-1040	40m 131'

Product code	Length
☐ TS-11-2001	1m 3,3'
☐ TS-11-2002	2m 6,6'
☐ TS-11-2003	3m 10'
☐ TS-11-2005	5m 16,5'
☐ TS-11-2006	6m 20'
☐ TS-11-2008	8m 26'
☐ TS-11-2010	10m 33'
☐ TS-11-2015	15m 50'
☐ TS-11-2020	20m 65'
☐ TS-11-2023	23m 75'
☐ TS-11-2030	30m 100'
☐ TS-11-2037	37m 121'
☐ TS-11-2038	38m 125'
☐ TS-11-2040	40m 131'

Product code	Length
☐ TS-11-3001	1m 3,3'
☐ TS-11-3002	2m 6,6'
☐ TS-11-3003	3m 10'
☐ TS-11-3005	5m 16,5'
☐ TS-11-3006	6m 20'
☐ TS-11-3008	8m 26'
☐ TS-11-3010	10m 33'
☐ TS-11-3015	15m 50'
☐ TS-11-3020	20m 65'
☐ TS-11-3030	30m 100'
☐ TS-11-3037	37m 121'
☐ TS-11-3040	40m 131'



ROTATING CABLES

Cross Layer Cable

ROTATING CABLES

Spring Layer Cable
Max length 20m / 65'

ROTATING CABLE ROLL

Cross Layer Cable

Product code	Diameter	Product code	Diameter	Product code	Diameter	Length
☐ RC-004-1	Ø 4mm 1/8"	☐ RC-008-2	Ø 8mm 5/16"	☐ RC-008-1-ROLL	Ø 8mm 5/16"	200m 656'
☐ RC-006-1	Ø 6mm 1/4"	☐ RC-010-2	Ø 10mm 3/8"	☐ RC-010-1-ROLL	Ø 10mm 3/8"	200m 656'
☐ RC-008-1	Ø 8mm 5/16"	☐ RC-012-2	Ø 12mm 1/2"	☐ RC-012-1-ROLL	Ø 12mm 1/2"	200m 656'
☐ RC-010-1	Ø 10mm 3/8"					
☐ RC-010-F	Ø 10mm 3/8" FLEX					
☐ RC-012-1	Ø 12mm 1/2"					



COVERS, NYLON

Product code	Information	Length
☐ RCC-06/08-N	for 4mm 1/8" cable	
☐ RCC-08/10-N	for 6mm 1/4" cable	
☐ RCC-10/13-N	for 8mm 5/16" cable	
☐ RCC-12/15-N	for 10mm 3/8" cable	
☐ RCC-13/16-N	for 12mm 1/2" cable	
☐ RCC-14-18-N	for 12mm 1/2" cable	
☐ RCC-10/13-N-50M	for 8mm 5/16" cable	50m 164'
☐ RCC-12/15-N-50M	for 10mm 3/8" cable	50m 164'
☐ RCC-13/16-N-50M	for 12mm 1/2" cable	50m 164'

COVERS, PEX

Product code	Information	Length
☐ RCC-8	for 8mm 5/16" cable	
☐ RCC-10	for 10mm 3/8" cable	
☐ RCC-12	for 12mm 1/2" cable	
☐ RCC-8-ROLL	for 8mm 5/16" cable	500m 1640'
☐ RCC-10-ROLL	for 10mm 3/8" cable	500m 1640'
☐ RCC-12-ROLL	for 12mm 1/2" cable	500m 1640'



CABLE CARRIER

Transportation and handling of cable

CABLE COVER BALL BEARINGS

To minimize the friction between your tool and cable cover

Product code	Information	Length
☐ R-CASE-1	cable sold separately	
☐ R-CASE-2	incl. Ø 6mm ¼"	15m 50' cable
☐ R-CASE-3	incl. Ø 8mm ⅝"	15m 50' cable
☐ R-CASE-4	incl. Ø 10mm ¾"	10m 33' cable

Product code	Product size
☐ CB-D8	8mm ⅝" cable / 12mm cover
☐ CB-D10	10mm ¾" cable / 15mm cover
☐ CB-D12	12mm ½" cable / 16mm cover
☐ CB-D12-XL	12mm ½" cable / 18mm cover

BRASS ENDS, HEXAGON

Brass cover pipe sleeves



Product code	Information
☐ WA-MS-08	for 8mm ⅝" cable
☐ WA-MS-10	for 10mm ¾" cable
☐ WA-MS-12	for 12mm ½" cable

BRASS ENDS, ROUND

Brass cover pipe sleeves



Product code	Information
☐ RC-MS-D14	for 6mm ¼" cable
☐ RC-MS-D16	for 8mm ⅝" cable
☐ RC-MS-D19	for 10mm ¾" cable
☐ RC-MS-D20	for 12mm ½" cable



TOOL FOR BEARINGS

Product code	Information
☐ CBT-20	tool for CB-D8/ D10/-D12

ADJUSTABLE CLUTCH



ADJUSTABLE CLUTCH

Product code	Information
☐ CLT-001	Clutch for a drill

Includes crimp sleeves for 8mm $\frac{5}{16}$ ", 10mm $\frac{3}{8}$ " and 12mm $\frac{1}{2}$ " cables.

Includes also **CAT-set**, CLT-25-014 and CRS-011.

The drill is sold separately.

CLUTCH SPARE PARTS

Product code	Information
☐ CLT-25-002-20-S	20mm t-slide adapter, male
☐ CLT-25-002-S	16mm t-slide adapter, male
☐ CLT-25-014	Adapter for 14mm sleeve
☐ CAT-SET	Adjustment tool kit for clutch
☐ CAT-001	Adjustment tool, hex
☐ CAT-44	Adjustment tool, spanner wrench
☐ CRS-011	Rotator shaft for clutch
☐ RAK-SET	Hex key wrench set

ADAPTERS AND SLEEVES

In this category you can find adapters to connect Renssi® Tools with your gear. There are also available many kinds of other accessories which you can use with your tools. With the definition code, you can easily define what kind of and which size adapter you need.



CABLE CONNECTORS



CABLE CONNECTORS, EXTENSION

Product code Information

- ☐ CC-006 for 6mm 1/4" cable
- ☐ CC-008-S for 8mm 5/16" cable
- ☐ CC-010 for 10mm 3/8" cable
- ☐ CC-012 for 12mm 1/2" cable



CABLE CONNECTORS, CONVERSION

Product code Information

- ☐ CC-008-010 8mm cable to 10mm (5/16"/3/8") cable connection
- ☐ CC-008-012 8mm cable to 12mm (5/16"/1/2") cable connection
- ☐ CC-010-012 10mm cable to 12mm (3/8"/1/2") cable connection
- ☐ CC-014-010 for 10mm 3/8" cable to connect centering device
- ☐ CC-014-012 for 12mm 1/2" cable to connect centering device



CABLE CONNECTORS FOR CRIMPED SLEEVE

Product code Information

- ☐ CC-050 for 50mm 2" centering device / Ø 14mm sleeve
- ☐ CC-100 for 75mm-100mm-150mm (3"-4"-6") centering device / Ø 14mm sleeve



CRIMP SLEEVES

Product code

Information

- ☐ SLEEVE-008 10 pcs for 8mm 5/16" cable
- ☐ SLEEVE-010 10 pcs for 10mm 3/8" cable
- ☐ SLEEVE-012 10 pcs for 12mm 1/2" cable
- ☐ SLEEVE-008-016 10 pcs for 8mm 5/16" cable
- ☐ SLEEVE-010-016 10 pcs for 10mm 3/8" cable
- ☐ SLEEVE-012-016 10 pcs for 12mm 1/2" cable
- ☐ RA-WS-I-001 1/2" W female thread connector for 12mm 1/2" cable

CONNECTORS

CONNECTORS 16mm FEMALE

Product code	Information
☐ RA-16-001-008	T-slide, female, 8mm $\frac{5}{16}$ " cable
☐ RA-16-001-010	T-slide, female, 10mm $\frac{3}{8}$ " cable
☐ RA-16-001-012	T-slide, female, 12mm $\frac{1}{2}$ " cable
☐ RA-16-001-060-M4-IX	T-slide, female, shackle with M4 thread
☐ RA-16-001-060-M5-IX	T-slide, female, shackle with M5 thread
☐ RA-16-001-CC	T-slide, female with connection to CC-connector
☐ RA-16-001-P10-IX	T-slide, female for 10mm $\frac{3}{8}$ " POM shaft, stainless steel



CONNECTORS 16mm MALE

Product code	Information
☐ RA-16-002-008	T-slide, male, 8mm $\frac{5}{16}$ " cable
☐ RA-16-002-010	T-slide, male, 10mm $\frac{3}{8}$ " cable
☐ RA-16-002-012	T-slide, male, 12mm $\frac{1}{2}$ " cable
☐ RA-16-002-P10-IX	T-slide, male for 10mm $\frac{3}{8}$ " POM shaft, stainless steel
☐ RA-16-002-RBH-010	T-slide, male for 10mm $\frac{3}{8}$ " cable with set screws



CONNECTORS 20mm FEMALE

Product code	Information
☐ RA-20-001-008	T-slide, female, 8mm $\frac{5}{16}$ " cable
☐ RA-20-001-010	T-slide, female, 10mm $\frac{3}{8}$ " cable
☐ RA-20-001-012	T-slide, female, 12mm $\frac{1}{2}$ " cable
☐ RA-20-001-060-M5-IX	T-slide, female, shackle with M5 thread
☐ RA-20-001-060-M6-IX	T-slide, female, shackle with M6 thread
☐ RA-20-001-13.2	T-slide, female, for $\frac{1}{2}$ " cable
☐ RA-20-001-P16-IX	T-slide, female, for 16mm POM shaft, stainless steel

CONNECTORS 20mm MALE

Product code	Information
☐ RA-20-002-010	T-slide, male, 10mm $\frac{3}{8}$ " cable
☐ RA-20-002-012	T-slide, male, 12mm $\frac{1}{2}$ " cable
☐ RA-20-002-13.2	T-slide, male, for $\frac{1}{2}$ " cable
☐ RA-20-002-P16-IX	T-slide, male, for 16mm POM shaft, stainless steel

DRILL ADAPTERS

Product code	Product
☐ RA-16-001-011	T-slide, female, rotator shaft
☐ RA-16-002-011	T-slide, male, rotator shaft
☐ RA-20-002-011	T-slide, male rotator shaft
☐ RA-16-006-011	6mm 1/4" cable, rotator shaft
☐ RA-16-008-011	8mm 5/16" cable, rotator shaft
☐ RA-20-010-011	10mm 3/8" cable, rotator shaft
☐ RA-20-012-011	12mm 1/2" cable, rotator shaft, male
☐ RA-20-014-011	rotator shaft for TS Cable



T-SLIDE ADAPTERS

Product code	Product
☐ RA-16-001/20-002	adapter from 16mm 5/8" female to 20mm male
☐ RA-16-002/20-001	adapter from 16mm 5/8" male to 20mm female



MISCELLANEOUS ACCESSORIES


Product code	Product
☐ RA-16-008-021	for 8mm 5/16" cable and UNF 1/2 male thread
☐ RA-20-070-P08	for 8mm 5/16" POM shaft with G 1/4 male thread
☐ RA-20-070-P10	for 10mm 3/8" POM shaft with G 1/4 male thread
☐ RA-20-070-P12	for 12mm 1/2" POM shaft with G 1/4 male thread
☐ RA-20-070-P16	for 16mm 5/8" POM shaft with G 1/4 male thread
☐ RA-24-033-011	rotator shaft for drill with M14 male thread



WHIPS

Product code	Product
☐ RA-08-WHIP	with 8mm 5/16" cable
☐ RA-10-WHIP	with 10mm 3/8" cable
☐ RA-12-WHIP	with 12mm 1/2" cable
☐ WS-I-Adapter-10	adapter for 1/2W thread with 10mm 3/8" cable adapter
☐ WS-I-Adapter-12	adapter for 1/2W thread with 12mm 1/2" cable adapter

BRUSHES



Brushes have quite many different ways of use. Brushes are good for example to clean plastic pipes, where the use of the chain knocker is too heavy. Brushes are also suitable for spreading the paste in the spray lining method and also to center different kinds of tools in the pipe. High-quality strings are made of nylon. We have also NYLON/STEEL brushes and silicon carbide brushes which are especially designed for cleaning plastic pipes.

BRUSHES



NYLON BRUSHES

for 6 mm $\frac{1}{4}$ " cable

Product code	Diameter
☐ RH-0040-14-03	Ø 40 mm 1,5"
☐ RH-0050-14-03	Ø 50 mm 2"
☐ RH-0050-20-03	Ø 50 mm 2"
☐ RH-0075-14-03	Ø 75 mm 3"
☐ RH-0075-20-03	Ø 75 mm 3"
☐ RH-0100-14-03	Ø 100 mm 4"
☐ RH-0100-14-05	Ø 100 mm 4"
☐ RH-0125-14-03	Ø 125 mm 5"
☐ RH-0125-14-05	Ø 125 mm 5"
☐ RH-0125-20-05	Ø 125 mm 5"
☐ RH-0125-20-07	Ø 125 mm 5"

NYLON BRUSHES

for 8 $\frac{5}{16}$ " mm cable

Product code	Diameter
☐ RH-1040-14-03	Ø 40 mm 1,5"
☐ RH-1045-14-03	Ø 45 mm 1,8"
☐ RH-1050-14-03	Ø 50 mm 2"
☐ RH-1050-20-03	Ø 50 mm 2"
☐ RH-1075-20-05	Ø 75 mm 3"
☐ RH-1075-20-07	Ø 75 mm 3"
☐ RH-1100-20-05	Ø 100 mm 4"
☐ RH-1125-29-05	Ø 125 mm 5"
☐ RH-1125-29-07	Ø 125 mm 5"
☐ RH-1150-29-05	Ø 150 mm 6"
☐ RH-1150-29-07	Ø 150 mm 6"
☐ RH-1160-40-07	Ø 160 mm 6,3"
☐ RH-1175-29-05	Ø 175 mm 7"
☐ RH-1175-40-07	Ø 175 mm 7"
☐ RH-1200-40-07	Ø 300 mm 12"

NYLON/STEEL BRUSHES

Center hole of the hub of 8 mm $\frac{5}{16}$ "

Product code	Diameter
☐ RH-1055-20-NS	Ø 55 mm 2,2"
☐ RH-1075-24-NS	Ø 75 mm 3"
☐ RH-1105-24-NS	Ø 105 mm 4,2"
☐ RH-1130-24-NS	Ø 130 mm 5,1"
☐ RH-1155-29-NS	Ø 155 mm 6,1"
☐ RH-1175-29-NS	Ø 175 mm 7"
☐ RH-1205-29-NS	Ø 205 mm 8,1"



SILICON CARBIDE BRUSHES

for 8 mm $\frac{5}{16}$ " cable

	Product code	Diameter	Cable diameter
☐	RH-1050-C	Ø 50 mm 2"	8 mm $\frac{5}{16}$ "
☐	RH-1075-C	Ø 75 mm 3"	8 mm $\frac{5}{16}$ "
☐	RH-1110-C	Ø 110 mm 4,3"	8 mm $\frac{5}{16}$ "
☐	RH-1125-C	Ø 125 mm 5"	8 mm $\frac{5}{16}$ "
☐	RH-1170-C	Ø 170 mm 6,7"	8 mm $\frac{5}{16}$ "



SILICON CARBIDE BRUSHES

for 10 mm $\frac{3}{8}$ " cable

	Product code	Diameter	Cable diameter
☐	RH-2075-C	Ø 75 mm 3"	10 mm $\frac{3}{8}$ "
☐	RH-2110-C	Ø 110 mm 4,3"	10 mm $\frac{3}{8}$ "
☐	RH-2125-C	Ø 125 mm 5"	10 mm $\frac{3}{8}$ "
☐	RH-2170-C	Ø 170 mm 6,7"	10 mm $\frac{3}{8}$ "

SILICON CARBIDE BRUSHES

for 12 mm $\frac{1}{2}$ " cable

	Product code	Diameter	Cable diameter
☐	RH-3075-C	Ø 75 mm 3"	12 mm $\frac{1}{2}$ "
☐	RH-3110-C	Ø 110 mm 4,3"	12 mm $\frac{1}{2}$ "
☐	RH-3125-C	Ø 125 mm 5"	12 mm $\frac{1}{2}$ "
☐	RH-3170-C	Ø 170 mm 6,7"	12 mm $\frac{1}{2}$ "

SECURING RING FOR BRUSHES

The securing ring is used to prevent a drop of the brush from the cable during the cleaning.

	Product code	Product
☐	SR-20-006	for 6mm $\frac{1}{4}$ " cable
☐	SR-20-008	for 8mm $\frac{5}{16}$ " cable
☐	SR-20-010	for 10mm $\frac{3}{8}$ " cable
☐	SR-20-012	for 12mm $\frac{1}{2}$ " cable



BRUSH ADAPTERS

	Product code	Product
☐	RA-080-010-IX	for 10mm cable, Ø 8mm ($\frac{3}{8}$ " / $\frac{5}{16}$ ") shaft inox
☐	RA-080-012-IX	for 12mm cable, Ø 8mm ($\frac{1}{2}$ " / $\frac{5}{16}$ ") shaft inox



CUTTERS

The background of the entire page is a dark, teal-tinted photograph. It features several pieces of industrial equipment, including what appears to be a large, multi-toothed cutter head in the lower left, a smaller brush-like tool in the upper left, and various fragments of rock or debris scattered throughout. The lighting is dramatic, highlighting the metallic surfaces and the rough textures of the debris.

Cutters belong to Renssi® Tool Collection. The tools are designed to solve specific problems in the field. Tools can be used either with or without centering device. You can open laterals, remove collapsed or damaged liner with cutter tools etc. There are cutters for branch connections, overshot pipe cutters and collapsed line drills in our collection. Check out and find the tool needed to solve the problems in pipe cleaning and relining process.

CUTTERS AND SPARE PARTS



HOLE SAWS WITH T-SLIDE CONNECTOR

Product code	Information
☐ HS-T16-030	30mm 1 $\frac{3}{16}$ " hole saw with 16mm t-slide connector
☐ HS-T16-040	40mm 1 $\frac{1}{2}$ " hole saw with 16mm t-slide connector
☐ HS-T16-050	50mm 2" hole saw with 16mm t-slide connector
☐ HS-T16-060	60mm 2 $\frac{3}{8}$ " hole saw with 16mm t-slide connector
☐ HS-T16-070	70mm 2 $\frac{3}{4}$ " hole saw with 16mm t-slide connector

COLLAPSED LINE DRILL

Product code	Information
☐ RCD-050	Ø 50mm 2" , 5 inserts
☐ RCD-I-050	50mm 2" - 5 inserts and screws
☐ RCD-075	Ø 75mm 3" , 5 inserts
☐ RCD-I-075	75mm 3" - 5 inserts and screws
☐ RCD-100	Ø 100mm 4" , 5 inserts
☐ RCD-I-100	100mm 4" - 5 inserts and screws
☐ RCD-125	Ø 125mm 5" , 5 inserts
☐ RCD-I-125	125mm 5" - 5 inserts and screws



REINSTATEMENT CUTTER KITS

Product code Pipe size

- ☐ RLC-050-C for 50mm 2" pipe
- ☐ RLC-075-C for 75mm 3" pipe
- ☐ RLC-100-C for 100mm 4" pipe
- ☐ RLC-150-C for 150mm 6" pipe



SPARE PARTS FOR REINSTATEMENT CUTTER KITS

Product code Information

- ☐ RLC-050-C-BA centering device for RLC-050
- ☐ RLC-075-C-BA centering device for RLC-075
- ☐ RLC-100-C-BA centering device for RLC-100
- ☐ RLC-150-C-BA centering device for RLC-150
- ☐ RLC-075-C-A centering brush for RLC-075
- ☐ RLC-100-C-A centering brush for RLC-100
- ☐ RLC-150-C-A centering brush for RLC-150

SUPPRESSION SLEEVES FOR REINSTATEMENT CUTTERS

- | Product code | Cable size | Pipe size |
|--------------------------------------|--------------------------------|-----------|
| ☐ RLC-050-008 | for 8mm $\frac{5}{16}$ " cable | 50mm 2" |
| ☐ RLC-050-010 | for 10mm $\frac{3}{8}$ " cable | 50mm 2" |
| ☐ RLC-050-012 | for 12mm $\frac{1}{2}$ " cable | 50mm 2" |
| ☐ RLC-075-008 | for 8mm $\frac{5}{16}$ " cable | 75mm 3" |
| ☐ RLC-075-010 | for 10mm $\frac{3}{8}$ " cable | 75mm 3" |
| ☐ RLC-075-012 | for 12mm $\frac{1}{2}$ " cable | 75mm 3" |
| ☐ RLC-100-010 | for 10mm $\frac{3}{8}$ " cable | 100mm 4" |
| ☐ RLC-100-012 | for 12mm $\frac{1}{2}$ " cable | 100mm 4" |
| ☐ RLC-150-010 | for 10mm $\frac{3}{8}$ " cable | 150mm 6" |
| ☐ RLC-150-012 | for 12mm $\frac{1}{2}$ " cable | 150mm 6" |

REINSTATEMENT CUTTERS

Product code Diameter Pipe size

- ☐ RLC-050 50mm 2" for 50mm 2" pipe
- ☐ RLC-075 75mm 3" for 75mm 3" pipe
- ☐ RLC-100 100mm 4" for 100mm 4" pipe
- ☐ RLC-150 150mm 6" for 150mm 6" pipe



DRILL HEADS FOR CABLES

Product code Cable size

- ☐ RD-006 for 6mm $\frac{1}{4}$ " cable
- ☐ RD-008 for 8mm $\frac{5}{16}$ " cable
- ☐ RD-010 for 10mm $\frac{3}{8}$ " cable
- ☐ RD-012 for 12mm $\frac{1}{2}$ " cable


Product code Cable size

- ☐ WD-08 for 8mm $\frac{5}{16}$ " cable
- ☐ WD-10 for 10mm $\frac{3}{8}$ " cable
- ☐ WD-12 for 12mm $\frac{1}{2}$ " cable
- ☐ WD40-10 for 10mm $\frac{3}{8}$ " cable
- ☐ WD40-12 for 12mm $\frac{1}{2}$ " cable



SANDPAPER HOLDERS

RSP is a sandpaper grinder, with four sandpapers attached to it's body. After cutting a lateral, you can finish the job with it. Use this with different size sandpapers, to match the pipe you are working with.



SANDPAPER HOLDERS WITH WEDGE



SANDPAPER HOLDERS WITH WEDGE

For 4 papers

Product code	Product size
☐ RSP-25-1	25mm wide, Ø 8mm cable (1" / 5/16")
☐ RSP-25-2	50mm wide, Ø 8mm cable (2" / 5/16")
☐ RSP-25-3	75mm wide, Ø 8mm cable (3" / 5/16")
☐ RSP-25-1-10	25mm wide, Ø 10mm cable (1" / 3/8")
☐ RSP-25-2-10	50mm wide, Ø 10mm cable (2" / 3/8")
☐ RSP-25-3-10	75mm wide, Ø 10mm cable (3" / 3/8")
☐ RSP-44-2-10	50mm wide, Ø 10mm cable (2" / 3/8")
☐ RSP-44-3-10	75mm wide, Ø 10mm cable (3" / 3/8")
☐ RSP-44-4-10	100mm wide, Ø 10mm cable (4" / 3/8")
☐ RSP-44-6-10	150mm wide, Ø 10mm cable (6" / 3/8")
☐ RSP-44-2-12	50mm wide, Ø 12mm cable (2" / 1/2")
☐ RSP-44-3-12	75mm wide, Ø 12mm cable (3" / 1/2")
☐ RSP-44-4-12	100mm wide, Ø 12mm cable (4" / 1/2")
☐ RSP-44-6-12	150mm wide, Ø 12mm cable (6" / 1/2")

SANDPAPERS WITH WEDGE

Sandpapers are sold in packages of 40 pcs.

☐ Product code	Width x Length
☐ SPB-B-25-1-3	25mm x 75mm (1"/3")
☐ SPB-B-25-2-4	50mm x 100mm (2"/4")
☐ SPB-B-25-3-4	75mm x 100mm (3"/4")
☐ SPB-B-44-2-6	50mm x 150mm (2"/6")
☐ SPB-B-44-3-6	75mm x 150mm (3"/6")
☐ SPB-B-44-4-6	100mm x 150mm (4"/6")
☐ SPB-B-44-6-8	150mm x 200mm (6"/8")



SPB-B

Heavy grinding
Zirconia alumina
abrasive grain
P24 grit

SANDPAPERS WITH WEDGE

Sandpapers are sold in packages of 40 pcs.

☐ Product code	Width x Length
☐ SPB-R-25-1-3	25mm x 75mm (1"/3")
☐ SPB-R-25-2-4	50mm x 100mm (2"/4")
☐ SPB-R-25-3-4	75mm x 100mm (3"/4")
☐ SPB-R-44-2-6	50mm x 150mm (2"/6")
☐ SPB-R-44-3-6	75mm x 150mm (3"/6")
☐ SPB-R-44-4-6	100mm x 150mm (4"/6")
☐ SPB-R-44-6-8	150mm x 200mm (6"/8")




SPB-R

Heavy grinding
Ceramic
abrasive grain
P24 grit

SANDPAPERS WITH WEDGE

Sandpapers are sold in packages of 40 pcs.

☐ Product code	Width x Length
☐ SPB-F-25-2-4	50mm x 100mm (2"/4")
☐ SPB-F-25-3-4	75mm x 100mm (3"/4")
☐ SPB-F-44-2-6	50mm x 150mm (2"/6")
☐ SPB-F-44-3-6	75mm x 150mm (3"/6")
☐ SPB-F-44-4-6	100mm x 150mm (4"/6")



SPB-F

Finishing
Grinding net
P40 grit

SANDPAPER HOLDERS WITHOUT WEDGE

SANDPAPER HOLDERS WITHOUT WEDGE

For 4 papers


Product code	Product size
☐ RSP-20-55	55mm for 10mm cable (2 1/4"/3/8")



SANDPAPERS WITHOUT WEDGE

Sandpapers are sold in packages of 40 pcs.

Product code	Width x Length
☐ SPB-2-3	50mm x 75mm (2"/3")
☐ SPB-2-4	50mm x 100mm (2"/4")
☐ SPB-2-6	50mm x 150mm (2"/6")
☐ SPB-4-4	100mm x 100mm (4"/4")
☐ SPB-4-6	100mm x 150mm (4"/6")
☐ SPB-4-8	100mm x 200mm (4"/8")
☐ SPB-6-8	150mm x 200mm (6"/8")
☐ SPB-4-6-RED	100mm x 150mm (4"/6"), red
☐ SPB-4-8-RED	100mm x 200mm (4"/8"), red
☐ SPB-6-8-RED	150mm x 200mm (6"/8"), red



SANDPAPER ROLLS

Product code	Information
☐ SPB-B-2-50M	50mm sandpaper, 50m (2"/164') roll
☐ SPB-B-4-50M	100mm sandpaper, 50m (4"/164') roll
☐ SPB-B-6-50M	150mm sandpaper, 50m (6"/164') roll

RENSSI SANDPAPER KIT

☐ KIT-REN-SPB-1

Product code	Information	Qty
RSP-25-1	Sandpaper holder for 8mm cable	1
RSP-25-2	Sandpaper holder for 8mm cable	1
RSP-25-3-10	Sandpaper holder for 10mm cable	1
RSP-44-2-10	Sandpaper holder for 10mm cable	1
RSP-44-3-12	Sandpaper holder for 12mm cable	1
RSP-44-4-12	Sandpaper holder for 12mm cable	1
SPB-B-25-1-2	Sandpaper panel with wedge	4
SPB-B-25-2-4	Sandpaper panel with wedge	4
SPB-B-25-3-6	Sandpaper panel with wedge	4
SPB-B-44-2-4	Sandpaper panel with wedge	4
SPB-B-44-3-6	Sandpaper panel with wedge	4
SPB-B-44-4-6	Sandpaper panel with wedge	4



RENSSI CUTTER KIT

☐ KIT-REN-CUT-2

Product code	Information	Qty
RLC-050-C	Lateral cutter with centering device	1 PC
RLC-075-C	Lateral cutter with centering device	1 PC
RLC-100-C	Lateral cutter with centering device	1 PC
RCD-050	Collapsed line drill	1 PC
RCD-075	Collapsed line drill	1 PC
RCD-100	Collapsed line drill	1 PC
RD-006	Cable tip drill	1 PC
RD-008	Cable tip drill	1 PC
RD-010	Cable tip drill	1 PC
RD-012	Cable tip drill	1 PC
CC-050	Connector	1 PC
CC-100	Connector	1 PC
CC-014-010	Connector	1 PC
CC-014-012	Connector	1 PC
RCD-I-050	Spare blades for RCD-050	1 SET
RCD-I-075	Spare blades for RCD-075	1 SET
RCD-I-100	Spare blades for RCD-100	1 SET





RENSSI KNOCKER KIT

☐ KIT-REN-KNO-1 (8mm, 5/16")


Product code	Information	Qty
RS-1050	Chain knocker	2 PCS
RS-1075	Chain knocker	2 PCS
RS-1100	Chain knocker	2 PCS
RS-1150	Chain knocker	2 PCS
RS-1050-NC	Chain knocker without carbide	2 PCS
RS-1075-NC	Chain knocker without carbide	2 PCS
RS-1100-NC	Chain knocker without carbide	2 PCS
RS-1150-NC	Chain knocker without carbide	2 PCS
RS-1050-DR	Chain knocker with drill head	2 PCS
RS-1075-DR	Chain knocker with drill head	2 PCS
RS-1100-DR	Chain knocker with drill head	2 PCS
RS-1150-DR	Chain knocker with drill head	2 PCS

☐ KIT-REN-KNO-2 (10mm, 3/8")

Product code	Information	Qty
RS-2050	Chain knocker	2 PCS
RS-2075	Chain knocker	2 PCS
RS-2100	Chain knocker	2 PCS
RS-2150	Chain knocker	2 PCS
RS-2050-NC	Chain knocker without carbide	2 PCS
RS-2075-NC	Chain knocker without carbide	2 PCS
RS-2100-NC	Chain knocker without carbide	2 PCS
RS-2150-NC	Chain knocker without carbide	2 PCS
RS-2050-DR	Chain knocker with drill head	2 PCS
RS-2075-DR	Chain knocker with drill head	2 PCS
RS-2100-DR	Chain knocker with drill head	2 PCS
RS-2150-DR	Chain knocker with drill head	2 PCS

☐ KIT-REN-KNO-3 (12mm, 1/2")

Product code	Information	Qty
RS-3075	Chain knocker	2 PCS
RS-3100	Chain knocker	2 PCS
RS-3150	Chain knocker	2 PCS
RS-3200	Chain knocker	2 PCS
RS-3075-NC	Chain knocker without carbide	2 PCS
RS-3100-NC	Chain knocker without carbide	2 PCS
RS-3150-NC	Chain knocker without carbide	2 PCS
RS-3200-NC	Chain knocker without carbide	2 PCS
RS-3075-DR	Chain knocker with drill head	2 PCS
RS-3100-DR	Chain knocker with drill head	2 PCS
RS-3150-DR	Chain knocker with drill head	2 PCS
RS-3200-DR	Chain knocker with drill head	2 PCS



DEMO ARENA

Welcome to explore our innovative world at our Kaarina factory! We have constructed a full-scale demo arena, serving as a showcase for our Renssi tools. Our factory provides a unique space where we organize comprehensive training sessions and presentations on the usage of Renssi tools. The demo arena allows for hands-on practice and in-depth exploration of the versatile features of our tools. We are dedicated to investing in education to ensure that our customers derive the maximum benefit from Renssi tools. Our Kaarina factory is committed to delivering high-quality training and supporting our customers in the effective use of these tools. Come and visit our demo arena to experience firsthand the excellence of Renssi tools! Feel free to get in touch with us to schedule a personalized demonstration and reserve your time to explore the capabilities of our cutting-edge tools.



CONTACT

Address:

Jousitie 6
20760 Piispanristi

Our factory is located in Kaarina, Finland.
We have over 6500m² (70 000ft²) of warehouse and production area, where we manufacture our products using modern CNC machinery.

Email Address:

info@renssi.fi

We are taking orders and inquiries via phone and email. You are also more than welcome to visit our showroom for any inquiries and orders!

www.renssi.com

More information about us and Renssi Tools you will find by visiting our website.

**Sales****Jouni Savonen**

email. jouni@renssi.fi
tel. +358 44 788 7042

**Warehouse / Repairs****Juha Kaarto**

email. juha@renssi.fi
tel. +358 40 502 5232

NOTES

[illegible]

[illegible]

[illegible]

RENSSI®

DRAIN CLEANING EQUIPMENT



**CHECK OUT RENSSI® SAFETY MANUALS
BEFORE USING THE TOOLS**

<http://www.renssi.com/en/downloads>

All rights reserved.
Published on February 2026